

Tenens Way, Riverside Industrial Estate,
Boston, Lincolnshire, PE21 7SZ

Tel: +44 (0) 1205 353353
coveris.com

Product Information

Product Code:
ROW-W24-0132Q
Description:
Rowse Sq Light & Mild 340g

Customer Code: JVS2200010_PVS2200007_V1.1_
Coveris Keyline Ref:
Coveris Cutter Ref: MF16483

Job Information

Date: 09-06-2022
Artwork Version: 01
Operator: david jeffries
Proof Size: 100%
Size: 50mm x 64mm
GSP/Artwork House: Aire Pro
Profile: Digi

Barcode Information

Code: 5011273044719
Type: EAN 13

Code:
Type:

Code:
Type:

Code:
Type:

Code:
Type:

Code:
Type:
Mag:

Code:
Type:

Colour Information

	Cyan Angle: 15° Ruling: 150lpi Type: Normal Coverage: 0.44%
	Magenta Angle: 75° Ruling: 150lpi Type: Normal Coverage: 7.72%
	Yellow Angle: 90° Ruling: 150lpi Type: Normal Coverage: 29.78%
	Black Angle: 45° Ruling: 150lpi Type: Normal Coverage: 15.38%

MILK VARNISH - Pattern Gloss 3400184

Angle: 45° Ruling: 133lpi
Type: Varnish Coverage: 0.25%


Matt Therm Pattern 53256

Angle: 45° Ruling: 133lpi
Type: Varnish Coverage: 93.19%



IMPORTANT: The PDF proof format is for visual purposes only and not to be used for colour matching. When printing we will match any Pantone/Special Ink references placed above. If you wish to sign off for colour, please speak to your Coveris contact, requesting an Epson calibrated proof to be sent yourselves. Coveris Flexibles UK Ltd. Will not be liable for any errors after client signed approval. Please ensure all details are checked.

How to view this PDF correctly: Adjust your preferences within Acrobat as follows: Edit Menu > Preferences > Page Display > Ensure " Use Overprint Preview" is set to "Always" .





HIGH PERFORMANCE PACKAGING

Tenens Way, Riverside Industrial Estate,
Boston, Lincolnshire, PE21 7SZ

Tel: +44 (0) 1205 353353
coveris.com

Product Information

Product Code:
ROW-W24-0132Q
Description:
Rowse Sq Light & Mild 340g

Customer Code: JVS2200010_PVS2200007_V1.1_
Coveris Keyline Ref:
Coveris Cutter Ref: MF16483

Job Information

Date: 09-06-2022
Artwork Version:
Operator: david jeffries
Proof Size: 100%
Size: 50mm x 64mm
GSP/Artwork House: Aire Pro
Profile: Digi

Barcode Information

Code: 5011273044719
Type: EAN 13

Code:
Type:

Code:
Type:

Code:
Type:


Code:
Type:

Code:
Type:
Mag:

Code:
Type:

Colour Information

MILK VARNISH - Pattern Gloss 3400184
Angle: 45° Ruling: 133lpi
Type: Normal Coverage: 0.25%



IMPORTANT: The PDF proof format is for visual purposes only and not to be used for colour matching. When printing we will match any Pantone/Special Ink references specified above. If you wish to sign off for colour, please speak to your Coveris contact, requesting an Epson calibrated proof to be sent yourselves. Coveris Flexibles UK Ltd. Will not be liable for any errors after client signed approval. Please ensure all details are checked.

How to view this PDF correctly: Adjust your preferences within Acrobat as follows: Edit Menu > Preferences > Page Display > Ensure " Use Overprint Preview" is set to "Always" .




PLATE FORMAT

HIGH PERFORMANCE PACKAGING

Tenens Way, Riverside Industrial Estate,
Boston, Lincolnshire, PE21 7SZ
Tel: +44 (0) 1205 353353
coveris.com

Product Information

Product Code:
ROW-W24-0132Q
Description:
Rowse Sq Light & Mild 340g

Customer Code: JVS2200010_PVS2200007_V1.1_
Coveris Keyline Ref:
Coveris Cutter Ref: MF16483

Job Information

Date: 09-06-2022
Artwork Version:
Operator: david jeffries
Proof Size: 100%
Size: 50mm x 64mm
GSP/Artwork House: Aire Pro
Profile: Digi

Barcode Information

Code: 5011273044719
Type: EAN 13

Code:
Type:

Code:
Type:

Code:
Type:


Code:
Type:

Code:
Type:
Mag:

Code:
Type:

Colour Information

Matt Therm Pattern 53256
Angle: 45° Ruling: 133lpi
Type: Normal Coverage: 93.19%



IMPORTANT: The PDF proof format is for visual purposes only and not to be used for colour matching. When printing we will match any Pantone/Special Ink references specified above. If you wish to sign off for colour, please speak to your Coveris contact, requesting an Epson calibrated proof to be sent yourselves. Coveris Flexibles UK Ltd. Will not be liable for any errors after client signed approval. Please ensure all details are checked.

How to view this PDF correctly: Adjust your preferences within Acrobat as follows: Edit Menu > Preferences > Page Display > Ensure " Use Overprint Preview" is set to "Always" .

