

Tenens Way, Riverside Industrial Estate, Boston, Lincolnshire, PE21 7SZ

Tel: +44 (0) 1205 353353

coveris.com

Product Information

Product Code:

ROW-W24-0 | 270

Description:
Rowse Organic Squeezy Bottle 340g base

Customer Code: JVS2200034_PVS2200007_V1.1_ Coveris Keyline Ref: Coveris Cutter Ref: MF16483

Job Information

Date: Artwork Version: 07-06-2022 01

Operator: dave smalley
Proof Size: 100%
Size: 50mm x 64mm
GSP/Artwork House: Aire Pro
Profile: Digi

Barcode Information Code: 5011273040339 Type: EAN 13

Type:

Type:

Code:

Code: Type: Mag:

Type:

Colour Information

Cyan

Angle: 15° Ruling: 133lpi Type: Normal Coverage: 10.28% Magenta

Angle: 75° Ruling: 133lpi Type: Normal Coverage: 2.16%

Yellow Angle: 90° Ruling: 133lpi Type: Normal Coverage: 31.28%

Angle: 45° Ruling: 133lpi Type: Normal Coverage: 15.69% Matt Therm Pattern 53256

Angle: 45° Ruling: 133lpi Type: Varnish Coverage: 93.19%

MILK VARNISH- Pattern Gloss 3400184

Angle: 45° Ruling: 133lpi Type: Varnish Coverage: 0.25%

IMPORTANT: The PDF proof format is for visual purposes only and not to be used for colour matching. When printing we will match any Pantone/Special Ink references specified above. If you wish to sign off for colour, please speak to your Coveris contact, requesting an Epson calibrated proof to be sent yourselves. Coveris Flexibles UK Ltd. Will not be liable for any errors after client signed approval. Please ensure all details are checked.

How to view this PDF correctly: Adjust your preferences within Acrobat as follows: Edit Menu > Preferences > Page Display > Ensure " Use Overprint Preview" is set to "Always"




PLATE FORMAT





Tenens Way, Riverside Industrial Estate, Boston, Lincolnshire, PE21 7SZ

Tel: +44 (0) 1205 353353

coveris.com

Product Information

Product Code:

ROW-W24-0127O

Description:
Rowse Organic Squeezy Bottle 340g base

Customer Code: JVS2200034_PVS2200007_V1.1_ Coveris Keyline Ref: Coveris Cutter Ref: MF16483

Job Information

Date: Artwork Version: 07-06-2022

Operator: dave smalley
Proof Size: 100%
Size: 50mm x 64mm
GSP/Artwork House: Aire Pro
Profile: Digi

Barcode Information Code: 5011273040339 Type: EAN 13

Code: Type:

Type:

Code: Type: Mag:

Туре:

Colour Information

Matt Therm Pattern 53256 Angle: 45° Ruling: 133lpi Type: Normal Coverage: 93.19%

IMPORTANT: The PDF proof format is for visual purposes only and not to be used for colour matching. When printing we will match any Pantone/Special Ink references specified above. If you wish to sign off for colour, please speak to your Coveris contact, requesting an Epson calibrated proof to be sent yourselves. Coveris Flexibles UK Ltd. Will not be liable for any errors after client signed approval. Please ensure all details are checked.

How to view this PDF correctly: Adjust your preferences within Acrobat as follows: Edit Menu > Preferences > Page Display > Ensure " Use Overprint Preview" is set to "Always"




PLATE FORMAT



HIGH PERFORMANCE PACKAGING

Tenens Way, Riverside Industrial Estate, Boston, Lincolnshire, PE21 7SZ

Tel: +44 (0) 1205 353353

coveris.com

Product Information

Product Code:

ROW-W24-0127O

Description:
Rowse Organic Squeezy Bottle 340g base

Customer Code: JVS2200034_PVS2200007_V1.1_ Coveris Keyline Ref: Coveris Cutter Ref: MF16483

Job Information

07-06-2022

Date: Artwork Version: Operator: Proof Size: Operator: dave smalley
Proof Size: 100%
Size: 50mm x 64mm
GSP/Artwork House: Aire Pro
Profile: Digi

Barcode Information Code: 5011273040339 Type: EAN 13

Code: Type:

Type:

Code:

Code: Type: Mag:

Туре:

Colour Information

MILK VARNISH- Pattern Gloss 3400184

Angle: 45° Ruling: 133lpi Type: Normal Coverage: 0.25%

IMPORTANT: The PDF proof format is for visual purposes only and not to be used for colour matching. When printing we will match any Pantone/Special Ink references specified above. If you wish to sign off for colour, please speak to your Coveris contact, requesting an Epson calibrated proof to be sent yourselves. Coveris Flexibles UK Ltd. Will not be liable for any errors after client signed approval. Please ensure all details are checked.

How to view this PDF correctly: Adjust your preferences within Acrobat as follows: Edit Menu > Preferences > Page Display > Ensure " Use Overprint Preview" is set to "Always"



PLATE FORMAT

