

CERTIFICATE OF ANALYSIS

Page 1 of 2

Product Name:	FOR ADULTS - 50 BILLION	Product Code(s):	PROVEN-020-14-I
Customer:	PROVEN PROBIOTICS	Batch Number:	67516
Formulation Version	V1.1	Expiry Date:	MAY 2026
Date of Manufacture:	MAY 2024		

Product has been manufactured in accordance with the Product Formulation and Release Specification (PFRS). Please see copy of PFRS for details.

Test	Method ¹	Acceptance Criteria	Result
Physical Analysis			
Appearance ²	SOP 232 OP6 Cultech	Clear Size 00 Hard Shell Capsule containing a Cream Free-Flowing Powder with Speckles	Conforms
Average Fill Weight	SOP 232 OP6 Cultech	Capsule contents 550mg ± 7.5% (508.8 to 591.3mg)	542.5 mg
Average Filled Capsule Weight	SOP 232 OP6 Cultech	Capsule weight 668mg ± 7.5% (617.9 to 718.1mg)	660.5 mg
Uniformity of Weight	USP <2091> Cultech	Complies with USP<2091>	Conforms
Active Ingredient Analysis			
Total Lactic Acid Bacteria Count	SOP 477 OP6 Cultech	≥50 Billion CFU/cap	90.06 Billion CFU/cap
Microbial Analysis			
Total Yeast and Mould	M022 Intertek	≤ 1 x 10 ⁴ CFU/g	<20 CFU/g
<i>Enterobacteriaceae</i>	M009 Intertek	≤ 1 x 10 ² CFU/g	<10 CFU/g
<i>Escherichia coli</i>	M011 Intertek	*Absent in 1g	Absent
<i>Salmonella</i>	M040 Intertek	*Absent in 10g	Absent
<i>Staphylococcus aureus</i>	M014 Intertek	*Absent in 1g	Absent

¹Or other validated internal Cultech or External Laboratory method

²Naturally sourced ingredients vary in both physical and organoleptic properties, consequently the appearance of products containing these may vary from batch to batch.

*Absent means <1 x 10¹


CERTIFICATE OF ANALYSIS

Product Name:	FOR ADULTS - 50 BILLION	Product Code(s):	PROVEN-020-14-I
Customer:	PROVEN PROBIOTICS	Batch Number:	67516
Formulation Version	V1.1	Expiry Date:	MAY 2026
Date of Manufacture:	MAY 2024		

Test	Method ¹	Acceptance Criteria	Result
Allergen Testing			
Gluten ³	SOP 104 OP6 ELISA Cultech	≤20ppm	Conforms
Total Milk ³	SOP 106 OP6 ELISA Cultech	Not Detected (<MDL**)	Conforms
Lactose ³	SOP 105 OP6 Enzymatic Cultech	Not Detected (<MDL**)	Conforms

³Fully analysed on first three batches for validation. Then move to analysis on a skip lot (every fifth) batch basis.

**MDL Method Detection Limit (Total Milk <2.5ppm, Lactose – <100ppm)

Created By:	KARYS RAYNER
Position:	QC TECHNICIAN
Signature:	
Date:	15/07/2024

On behalf of the Quality Manager, Cultech Ltd

This certificate is not to be reproduced, except in full, without written approval