

Tenens Way, Riverside Industrial Estate, Boston, Lincolnshire, PE21 7SZ

Tel: +44 (0) 1205 353353

coveris.com

# **Product Information**

Product Code: ROW-W24-0126R Description: Rowse Squeezy Bottle 340g base

Customer Code: JVS2200025\_PVS2200007\_V1.1\_ Coveris Keyline Ref: Coveris Cutter Ref: MF16483

# Job Information

Date: Artwork Version: 07-06-2022 01

Operator: dave smalley
Proof Size: 100%
Size: 50mm x 64mm
GSP/Artwork House: Aire Pro
Profile: Digi

Barcode Information Code: 5011273040698 Type: EAN 13

Type:

Type:

Code:

Code:

Type: Mag:

Type:

### **Colour Information**

Cyan

Angle: 15° Ruling: 133lpi Type: Normal Coverage: 0.44%

Magenta

Angle: 75° Ruling: 133lpi Type: Normal Coverage: 17.53%

Yellow Angle: 90° Ruling: 133lpi Type: Normal Coverage: 35.5%

Angle: 45° Ruling: 133lpi Type: Normal Coverage: 14.97%

Matt Therm Pattern 53256

Angle: 45° Ruling: 133lpi Type: Varnish Coverage: 93.19%

MILK VARNISH- Pattern Gloss 3400184

Angle: 45° Ruling: 133lpi Type: Varnish Coverage: 0.25%

IMPORTANT: The PDF proof format is for visual purposes only and not to be used for colour matching. When printing we will match any Pantone/Special Ink references specified above. If you wish to sign off for colour, please speak to your Coveris contact, requesting an Epson calibrated proof to be sent yourselves. Coveris Flexibles UK Ltd. Will not be liable for any errors after client signed approval. Please ensure all details are checked.

How to view this PDF correctly: Adjust your preferences within Acrobat as follows: Edit Menu > Preferences > Page Display > Ensure " Use Overprint Preview" is set to "Always"



**PLATE FORMAT** 





Tenens Way, Riverside Industrial Estate, Boston, Lincolnshire, PE21 7SZ

Tel: +44 (0) 1205 353353

coveris.com

# **Product Information**

Product Code: ROW-W24-0126R Description: Rowse Squeezy Bottle 340g base

Customer Code: JVS2200025\_PVS2200007\_V1.1\_ Coveris Keyline Ref: Coveris Cutter Ref: MF16483

# Job Information

07-06-2022

Date: Artwork Version:

Operator: dave smalley
Proof Size: 100%
Size: 50mm x 64mm
GSP/Artwork House: Aire Pro
Profile: Digi

Barcode Information Code: 5011273040698 Type: EAN 13

Code: Type:

Type:

Code: Type: Mag:


Туре:

## **Colour Information**

Matt Therm Pattern 53256 Angle: 45° Ruling: 133lpi Type: Normal Coverage: 93.19%

IMPORTANT: The PDF proof format is for visual purposes only and not to be used for colour matching. When printing we will match any Pantone/Special Ink references specified above. If you wish to sign off for colour, please speak to your Coveris contact, requesting an Epson calibrated proof to be sent yourselves. Coveris Flexibles UK Ltd. Will not be liable for any errors after client signed approval. Please ensure all details are checked.

How to view this PDF correctly: Adjust your preferences within Acrobat as follows: Edit Menu > Preferences > Page Display > Ensure " Use Overprint Preview" is set to "Always"







### HIGH PERFORMANCE PACKAGING

Tenens Way, Riverside Industrial Estate, Boston, Lincolnshire, PE21 7SZ

Tel: +44 (0) 1205 353353

coveris.com

# **Product Information**

Product Code: ROW-W24-0126R Description: Rowse Squeezy Bottle 340g base

Customer Code: JVS2200025\_PVS2200007\_V1.1\_ Coveris Keyline Ref: Coveris Cutter Ref: MF16483

# Job Information

07-06-2022

Date: Artwork Version: Operator: Proof Size:

Operator: dave smalley
Proof Size: 100%
Size: 50mm x 64mm
GSP/Artwork House: Aire Pro
Profile: Digi

Barcode Information Code: 5011273040698 Type: EAN 13

Code: Type:

Type:

Code:

Code: Type: Mag:

Туре:

## **Colour Information**


MILK VARNISH- Pattern Gloss 3400184

Angle: 45° Ruling: 133lpi Type: Normal Coverage: 0.25%

25

IMPORTANT: The PDF proof format is for visual purposes only and not to be used for colour matching. When printing we will match any Pantone/Special Ink references specified above. If you wish to sign off for colour, please speak to your Coveris contact, requesting an Epson calibrated proof to be sent yourselves. Coveris Flexibles UK Ltd. Will not be liable for any errors after client signed approval. Please ensure all details are checked.

How to view this PDF correctly: Adjust your preferences within Acrobat as follows: Edit Menu > Preferences > Page Display > Ensure " Use Overprint Preview" is set to "Always"



**PLATE FORMAT**