

CERTIFICATE OF ANALYSIS

Page 1 of 1

Product Name:	URGENT C NIGHT-TIME	Product Code(s):	PROVEN-029-7-G
Customer:	PROVEN PROBIOTICS	Batch Number:	67557
Formulation Version	V1.0	Expiry Date:	MAY 2026
Date of Manufacture:	May 2024		

Product has been manufactured in accordance with the Product Formulation and Release Specification (PFRS).
 Please see copy of PFRS for details.


Test	Method ¹	Acceptance Criteria	Result
Physical Analysis			
Appearance ²	SOP 232 OP6 Cultech	Purple Free Flowing Powder	Conforms
Average Fill Weight	SOP 232 OP6 Cultech	Sachet contents 14.5g ± 7.5% (13.4 to 15.6g)	14.5g
Uniformity of Weight	USP <2091> Cultech	Complies with USP<2091>	Conforms
Microbial Analysis			
Total Yeast and Mould	M022 Intertek	≤1 x 10 ⁴ CFU/g	<20 CFU/g
<i>Enterobacteriaceae</i>	M009 Intertek	≤1 x 10 ³ CFU/g	<10 CFU/g
<i>Escherichia coli</i>	M011 Intertek	Absent in 1g	Absent
<i>Salmonella</i>	M040 Intertek	Absent in 10g	Absent
<i>Staphylococcus aureus</i>	M013 Intertek	Absent in 1g	Absent
Allergen Testing			
Gluten ³	SOP 104 OP6 ELISA Cultech	≤20ppm	Conforms
Total Milk ³	SOP 106 OP6 ELISA Cultech	Not Detected (<MDL*****)	Conforms
Lactose ³	SOP 105 OP6 ELISA/LP025 Cultech/Eurofins	Not Detected (<MDL*****)	Conforms

*****MDL Method Detection Limit (Total Milk <2.5ppm, Lactose <100ppm)

¹Or other validated internal Cultech or External laboratory method

²Naturally sourced ingredients vary in both physical and organoleptic properties, consequently the appearance of products containing these may vary from batch to batch.

³Fully tested on first three batches then moved to annual check.

Created By:	KARYS RAYNER
Position:	QC TECHNICIAN
Signature:	
Date:	31/05/2024

On behalf of the Quality Manager, Cultech Ltd

This certificate is not to be reproduced, except in full, without written approval